







### Travertine - Marble - Porcelain

ABOUT US	3
SILVER TRAVERTINE	5
WALNUT TRAVERTINE	7
IVORY TRAVERTINE	9
SILVER SHADOW MARBLE SANDBLASTED	
RIVER CLOUD MARBLE SANDBLASTED	13
BLUE MARBLE SANDBLASTED	15
CREMA MARFIL MARBLE SANDBLASTED	17
NORDIC BLUE MARBLE SANDBLASTED	19
TRAVERTINE & MARBLE VENEER	20
TRAVERTINE LEDGER STONE	21
COPINGS & TREADS	22-23
PORCELAIN PAVERS	29-35
INSTALLATION GUIDE	44-45
CUSTOM FABRICATION	46-47







City Stone & Paver is the leader in premium travertine and marble pavers. City stone & Paver goals is providing the US market premium grade travertine, marble and porcelain pavers. Our premium travertine and marble pavers are imported from TURKEY and porcelain pavers from ITALY In addition, we also provide many various exquisite Veneer Stone, Ledger stone, pool copings, slabs and custom cut pieces.


We offer travertine and marble pavers in different colors; Silver, Ivory, Walnut travertine, Silver Shadow Sandblasted Nordic Blue Sandblasted, River Cloud Sandblasted, Blue Marble Sandblasted and Crema Marfil Sandblasted). Travertine and Marble pool coping is also available in these colors.

City Stone & Paver is one of the largest wholesale distributors of first grade quality travertine and marble products ranging from pavers to custom made pieces in the country and offers them to architects, designers and suppliers. Our premium travertine and marble pavers are imported from Turkey. Adding a new elegance look to your home is our main goal.



# SILVER TRAVERTINE










6"X24" Silver Travertine Ledger



4"xFL Silver Splitface





6"X18" Silver Travertine Corner





PAVER SIZES
French Patternx11/4" Tumbled 16"x16"x1 1/4" Tumbled 16"x24"x1 1/4" 24"x24"x1 1/4" 6"x12"x1 1/4" Tumbled Tumbled Tumbled

## COPING & TREAD SIZES

CUPING & IREAD SIZES			
6"x12"x2"	Tumbled	Bullnose	
12"x24"x2"	Tumbled	Bullnose	
12"x48"x2"	Brushed	Bullnose	
14"x48"x2"	Brushed	Bullnose	
12"x72"x2"	Brushed	Bullnose	
16"x72"x2"	Brushed	Bullnose	
12"x48"x2"	Brushed	Eased Edge	
12"x72"x2"	Brushed	Eased Edge	
16"x72"x2"	Brushed	Eased Edge	
24"x72"x2"	Brushed	Straight Cut	

# SLABS 2" slab

24"x72"x2" slab









French Patternx11/4" Tumbled 16"x16"x1 1/4" Tumbled 16"x24"x1 1/4" Tumbled 24"x24"x1 1/4" Tumbled 6"x12"x1 1/4" Tumbled

COPING & TREAD SIZES 6"x12"x2" Tumbled Bullnose Bullnose 12"x24"x2" Tumbled Bullnose 12"x48"x2" Brushed Bullnose 14"x48"x2" Brushed Bullnose 12"x72"x2" Brushed Bullnose 16"x72"x2" Brushed Eased Edge 12"x48"x2" Brushed Eased Edge 12"x72"x2" Brushed Eased Edge 16"x72"x2" Brushed Straight Cut 24"x72"x2" Brushed

# SLABS 2" slab

24"x72"x2" slab











6"x24" Ivory Travertine Ledger



4"x8" Ivory Splitface Corner



6"x18" Ivory Travertine Corner







PAVER SIZES
French Patternx11/4" Tumbled 16"x16"x1 1/4" Tumbled 16"x24"x1 1/4" Tumbled 24"x24"x1 1/4" Tumbled 6"x12"x1 1/4" Tumbled

COPING & TREAD SIZES 6"x12"x2" Tumbled 12"x24"x2" Tumbled 12"x48"x2" Brushed 14"x48"x2" Brushed 12"x72"x2" Brushed 16"x72"x2" Brushed 12"x48"x2" Brushed 12"x72"x2" Brushed 16"x72"x2" Brushed 24"x72"x2" Brushed

Bullnose Bullnose Bullnose Bullnose Bullnose

Bullnose Eased Edge Eased Edge Eased Edge Straight Cut

## SLABS 2" slab 24"x72"x2" slab







SILVER SHADOW MARBLE SANDBLASTED



4"xFL Silver Shadow Splitface



4"x8" Silver Shadow Corner



#### **PAVER SIZES**

French Patternx11/4"
16"x16"x1 1/4"
16"x24"x1 1/4"
24"x24"x1 1/4"
6"x12"x1 1/4"

Sandblasted Sandblasted Sandblasted Sandblasted Sandblasted

### **COPING & TREAD SIZES**

12"x48"x2" Sandblasted
14"x48"x2" Sandblasted
12"x72"x2" Sandblasted
16"x72"x2" Sandblasted
12"x48"x2" Sandblasted
12"x72"x2" Sandblasted
12"x72"x2" Sandblasted
16"x72"x2" Sandblasted

Bullnose Bullnose Bullnose Bullnose Eased Edge Eased Edge Eased Edge













4"xFL River Cloud Splitface

4"x8" River Cloud Corner



#### **PAVER SIZES**

French Patternx11/4" 16"x16"x1 1/4" 16"x24"x1 1/4" 24"x24"x1 1/4" 6"x12"x1 1/4"

Sandblasted Sandblasted Sandblasted Sandblasted Sandblasted

#### **COPING & TREAD SIZES**

COI INO & INLAD SIZES			
12"x48"x2"	Sandblasted		
14"x48"x2"	Sandblasted		
12"x72"x2"	Sandblasted		
16"x72"x2"	Sandblasted		
12"x48"x2"	Sandblasted		
12"x72"x2"	Sandblasted		
16"x72"x2"	Sandblasted		

Bullnose Bullnose Bullnose Bullnose Eased Edge Eased Edge Eased Edge





12

RIVER CLOUD SANDBLASTED MARBLE











Bullnose

Bullnose

Bullnose

Bullnose

Bullnose

Bullnose

Eased Edge

Eased Edge

Eased Edge

Straight Cut

4"xFL Blue Marble Splitface

4"x8" Blue Marble Corner





French Patternx11/4" 16"x16"x1 1/4" 16"x24"x1 1/4" 24"x24"x1 1/4" 6"x12"x1 1/4"

Sandblasted Sandblasted Sandblasted Sandblasted Sandblasted


### **COPING & TREAD SIZES**

6"x12"x2" Sandblasted 12"x24"x2" Sandblasted 12"x48"x2" Sandblasted 14"x48"x2" Sandblasted 12"x72"x2" Sandblasted 16"x72"x2" Sandblasted 12"x48"x2" Sandblasted 12"x72"x2" Sandblasted 16"x72"x2" Sandblasted 24"x72"x2" Sandblasted SLABS 2" slab 24"x72"x2" slab





BLUE MARBLE SANDBLASTED











4"xFL Crema Marfil Splitface

4"x8" Crema Marfil Corner



#### **PAVER SIZES**

French Patternx11/4" 16"x16"x1 1/4" 16"x24"x1 1/4" 24"x24"x1 1/4" 6"x12"x1 1/4"

Sandblasted Sandblasted Sandblasted Sandblasted Sandblasted

COPING & TREAD SIZES
12"x48"x2" Sandblasted Bullnose Bullnose 14"x48"x2" Sandblasted Bullnose 12"x72"x2" Sandblasted Bullnose 16"x72"x2" Sandblasted Eased Edge Sandblasted 12"x48"x2" Eased Edge 12"x72"x2" Sandblasted Eased Edge 16"x72"x2" Sandblasted













4"xFL Blue Marble Splitface

4"x8" FL Blue Marble Splitface Corner



#### **PAVER SIZES**

French Patternx11/4" 16"x16"x1 1/4" 16"x24"x1 1/4" 24"x24"x1 1/4" 6"x12"x1 1/4"

Sandblasted Sandblasted Sandblasted Sandblasted Sandblasted

**COPING & TREAD SIZES** 6"x12"x2" Sandblasted 12"x24"x2" Sandblasted 12"x48"x2" Sandblasted 14"x48"x2" Sandblasted 12"x72"x2" Sandblasted 16"x72"x2" Sandblasted 12"x48"x2" Sandblasted 12"x72"x2" Sandblasted 16"x72"x2" Sandblasted 24"x72"x2" Sandblasted

SLABS 2" slab Bullnose Bullnose 24"x72"x2" slab Bullnose

Bullnose

Bullnose

Bullnose

Eased Edge

Eased Edge

Eased Edge

Straight Cut













4"xFL Walnut Splitface & Corner







4"xFL Blue Marble Splitface & Corner



4"xFL Silver Splitface & Corner



4"xFL Crema Marfil Splitface & Corner











6"X24" SILVER TRAVETINE LEDGER



6"X18" SILVER CORNER



6"X24" IVORY TRAVERTINE LEDGER



6"X18" IVORY CORNER



6"X24" WALNUT TRAVERTINE LEDGER



6"X18" WALNUT CORNER





















### THE ADVANTAGES OF PORCELAIN PAVERS










SINGLE-PIECE

**ECO-SUSTAINABLE** 

FIRE-PROOF

**FROST-PROOF** 











**RESISTANT TO SALTS** 

**ANTI-SLIP** 

RESISTANT TO LOADS WEAR RESISTANT





**RESISTANT** 

**RESISTANT** TO THERMAL SHOCK TO MOULD AND MOSS

### **ADVANTAGES OF DRY-SYSTEM INSTALLATION**











QUICK AND EASY TOAVOIDING THE RISK CORRECTING INSTALL OF BREAKING AND PLANARITY DEFECTS REUSABLE CRACKS

**EASY TO INSPECT** AND REMOVABLE















































Modular Pattern (12"x24" - 24"x24" - 24"x36")

## **GRIGIO** Rectified




Modular Pattern (12"x24" - 24"x24" - 24"x36")


## **ANTRACITE** Rectified



Modular Pattern (12"x24" - 24"x24" - 24"x36")

## MODULAR PATTERN SET INCLUDE





## **BEIGE** Rectified



24"x36"



**STATUARIO** Rectified



24"x36"

## **GREIGE** Rectified



24"x36"

# **GREY** Rectified



24"x36"

AMAZING GREY Rectified

ANTRACITE Rectified



24"x36"

## **GRIGIO** Rectified



24"x36"












































## **BIANCO** 7"x17" 3/8"





100%
MADE IN ITALY





**BEIGE** 7"x17" 3/8"



**CEMENTO** 7"x17" 3/8"




**GRIGIO** 7"x17" 3/8"













## INSTALLATION ONTO GRASS




## INSTALLATION ONTO GRAVEL




It can be easily installed onto grass substrates simply by following the recommendations set out here: trace the encumbrance of the slabs and dig the substrate up to 3 cm. Then apply a layer of gravel to ensure perfect drainage and proceed with the installation of slabs always checking the planarity of the





For raised installation, slabs are installed onto supports with a distance of 3mm between adjacent slabs once the underlying footing has been duly layered with water-proofing materials. In this way, there is a technical gap below the foot-plan that can be easily inspected by lifting the slabs.



It can be installed onto gravel substrates simply by placing the slabs adjacent to one another or creating pathways by installing individual slabs onto the gravel support. It is also advantageous to integrate, below the layer of superficial gravel, another layer of gravel and or pebbles in order to ensure perfect drainage. This installation solution is functional, quick and with a strong visual impact.

## **INSTALLATION WITH ADHESIV**





Compared to standard thickness tiles slabs, installed using the traditional technique, offer a higher resistance to loads which is particularly suitable for carriageable floors.

### RECOMMENDATIONS FOR INSTALLATION

# DRY-SYSTEM SPACED INSTALLATION ONTO GRASS




- A LAYER OF GRAVEL OF 5 CM (GRANULOMETRY 4/8 MM)
- **B** SOIL

## DRY INSTALLATION ONTO GRAVEL




- ▲ LAYER OF GRAVEL OF 5 CM (GRANULOMETRY 4/8 MM)
- **B** DRAINING GRAVEL LAYER
- G SOIL

### TRADITIONAL ADHESIVE INSTALLATION



- A ADHESIVE
- **B** FOOTING WITH ELECTRO-WELDED NET
- **©** DRAINING LAYER
- SOIL

## **RAISED INSTALLATION ONTO SUPPORTS**



- SUPPORTS
- **B** DRAINAGE SHEATH
- **©** WATER-PROOFING SHEATH
- INCLINED FOOTING
- SOIL











